


WHAT IS CLAIMED IS:

1. A thermosetting resin composition, comprising:

(1) a resin including:


(a) a monomer unit represented by the following general formula (I):



(I)

wherein R^1 represents a hydrogen atom, a halogen atom, or a hydrocarbon group having 1 to 5 carbon atoms; R^2 or each of R^2 's independently represents a halogen atom, an aliphatic hydrocarbon group having 1 to 5 carbon atoms, or an aromatic hydrocarbon group; x is an integer of 0 to 3; and m is a natural number, and

(b) a monomer unit represented by the following general formula (II)




(II)

wherein n is a natural number; and

(2) a cyanate resin having two or more cyanate groups per molecule,
wherein the copolymerization ratio m/n between the monomer units in said
resin (1) is from 0.8 to 19.

2. The thermosetting resin composition according to Claim 1, wherein
the resin (1) further comprises, as a monomer unit, (c) N-phenylmaleimide
represented by the following general formula (III):



wherein R^3 represents a halogen atom, an aliphatic hydrocarbon group having 1 to 5
carbon atoms, an aromatic hydrocarbon group, a hydroxyl group, a thiol group, or a
carboxyl group; y is an integer of 0 to 3; and r is a natural number, and/or a derivative
thereof.

3. The thermosetting resin composition according to Claim 2, wherein the
copolymerization ratio $m/(n+r)$ between the monomer units in said resin (1) is from 0.8
to 19.

4. The thermosetting resin composition according to Claim 3, wherein the copolymerization ratio n/r between the monomer units in said resin (1) is from 1/49 to 49.

5. The thermosetting resin composition according to Claim 1, further comprising (3) an epoxy resin and/or an isocyanurate compound.


6. A prepreg using the thermosetting resin composition according to Claim 1.

7. A laminated sheet formed using the prepreg according to Claim 6, by laminate molding.

8. A thermosetting resin composition, comprising:


(1) a resin including:

(a) a monomer unit represented by the following general formula (I):




wherein R^1 represents a hydrogen atom, a halogen atom, or a hydrocarbon group having 1 to 5 carbon atoms; R^2 or each of R^2 's independently represents a halogen atom, an aliphatic hydrocarbon group having 1 to 5 carbon atoms, or an aromatic hydrocarbon group; x is an integer of 0 to 3; and m is a natural number,

(b) a monomer unit represented by the following general formula (II)



wherein n is a natural number, and

(c) a monomer unit which is an N-phenylmaleimide represented by the following general formula (III):



(III)

wherein R^3 represents a halogen atom, an aliphatic hydrocarbon group having 1 to 5 carbon atoms, an aromatic hydrocarbon group, a hydroxyl group, a thiol group, or a carboxyl group; y is an integer of 0 to 3; and r is a natural number, and/or a derivative thereof; and

(2) a cyanate resin having two or more cyanate groups per molecule,

wherein the copolymerization ratio $m/(n+r)$ between the monomer units in said resin (1) is from 0.8 to 19.

9. The thermosetting resin composition according to Claim 8, wherein the copolymerization ratio n/r between the monomer units in said resin (1) is from 1/49 to 49.

10. A prepreg using the thermosetting resin composition according to Claim 8.

11. A laminated sheet formed using the prepreg according to Claim 10, by laminate molding.